

---

## A new view of Bermuda's mosses

Brian J.O'Shea,

A recent paper (Olson, 2008) discussed the finding of *Pirella cymbifolia* (Sull.) Cardot in Bermuda, but also commented on the lack of research on the island. Fortunately further work on Bermuda bryophytes has continued over the years, and we now have a new moss list for the island.

W.E. Nicholson (1936), succinctly commenting on the Bermuda hepatics, wrote: 'The islands of the Bermuda group, owing to their extreme isolation, their very small total area, and the uniformly limestone character of the soil have but a very restricted hepatic flora, which is a collection of waifs and strays either of general European and North American distribution or derived from the West Indies and the southern parts of North America.' Bryophytes were largely ignored by botanists in the 19th century: General Sir John Henry Lefroy (FRS), (Governor of Bermuda 1872-1877) edited 'The Botany of Bermuda' published in 1884 but mentions only 'Hepaticae - *Jungermannia* sp., *Sphagnum palustre* - Bog Moss'. Verrill (1901-1902) published 574 pages on Bermuda, but bryophytes are dismissed by 'about 8 mosses and 6 Hepaticae'. Serious collecting only started in the 1920s, particularly by Elizabeth Britton, and periodic visits were made more recently by the staff of New York Botanical Gardens.

Although the island appears to be rather short on bryophyte diversity, work over the years has now extended the list to 44 mosses. As many of these finds have not been published, a list is included covering all the moss taxa so far reported, and I would also be pleased if anyone could add to the list. The numbers in brackets refer to the author references.

*Amblystegium serpens* var. *serpens* (Hedw.) Schimp. (7).  
*Amblystegium varium* (Hedw.) Lindb. (1,7,10).  
*Anomodon rostratus* (Hedw.) Schimp. (4,5,6,8,9,10).  
*Barbula indica* var. *indica* (Hook.) Spreng. (8).  
*Bryum apiculatum* Schwägr. (8,10).  
*Bryum atrovirens* Brid. (1,10)  
*Bryum dichotomum* Hedw. (8,10).  
*Campylopus trachyblepharon* ssp. *trachyblepharon* (Müll.Hal.) Mitt. (6,8,10).  
*Cyclodictyon albicans* (Hedw.) Kuntze (4,8).  
*Cyclodictyon varians* (Sull.) Kuntze (6,8,10).  
*Didymodon tophaceus* (Brid.) Lisa (8).  
*Eucladium verticillatum* (Hedw.) Bruch & Schimp. (8,10).  
*Fissidens bryoides* var. *bryoides* Hedw. (8).  
*Fissidens elegans* Brid. (1,8,10).  
*Fissidens ovatifolius* R.Ruthe (10)

ARCHIVE FOR BRYOLOGY 57 (2009)

*Fissidens pallidinervis* Mitt. (1,8,10).  
*Fissidens serratus* var. *serratus* Müll.Hal. (8).  
*Fissidens taxifolius* ssp. *taxifolius* Hedw. (8,10).  
*Funaria flavicans* Michx. (3,8,10).  
*Funaria hygrometrica* var. *calvescens* (Schwägr.) Kindb. (8,10).  
*Funaria hygrometrica* var. *hygrometrica* Hedw. (1,10).  
*Haplocladium microphyllum* (Hedw.) Broth. (3,4,8,10).  
*Hymenostylium recurvirostre* var. *recurvirostre* (Hedw.) Dixon (8,10).  
*Hyophiladelphus agrarius* (Hedw.) R.H.Zander (1,8,10).  
*Isopterygium tenerum* (Sw.) Mitt. (1,2,3,4,8,10).  
*Lepidopilum amplirete* (Sull.) Mitt. (6).  
*Leucobryum glaucum* (Hedw.) Ångström (1,10).  
*Luisierella barbula* (Schwägr.) Steere (6,8,10).  
*Octoblepharum albidum* Hedw. (8).  
*Pelekium minutulum* (Hedw.) Touw (4,8,10).  
*Pirella cymbifolia* (Sull.) Cardot (12).  
*Ptychostomum capillare* (Hedw.) D.T.Holyoak & N.Pedersen (8,10).  
*Racopilum tomentosum* (Hedw.) Brid. (2,6,8,10).  
*Sematophyllum adnatum* (Michx.) E.Britton (4,8,10).  
*Sphagnum magellanicum* Brid. (8,10).  
*Sphagnum perichaetiale* Hampe (8).  
*Sphagnum trinitense* Müll.Hal. (8,10).  
*Syrrhopodon incompletus* var. *incompletus* Schwägr. (6,8,10).  
*Taxiphyllum taxirameum* (Mitt.) M.Fleisch. (4,8).  
*Tortella flavovirens* (Bruch) Broth. (1,10).  
*Trichostomum involutum* Sull. (8).  
*Weissia controversa* Hedw. (10).  
*Weissia flavescens* (E.Britton) W.D.Reese (6,8).  
*Weissia jamaicensis* (Mitt.) Grout (1,8,10).

### Synonyms

*Campylopus bermudianus* R.S.Williams = *Campylopus trachyblepharon* (Müll.Hal.) Mitt.  
*Fissidens garberi* Lesq. & James = *Fissidens pallidinervis* Mitt.  
*Fissidens minutulus* Sull. = *Fissidens ovatifolius* RRuthe  
*Lepidopilum cubense* (Sull.) Mitt. = *Lepidopilum amplirete* (Sull.) Mitt.  
*Trichostomum bermudianum* (Mitt.) Paris = *Weissia jamaicensis* (Mitt.) Grout

### References

- (2) **Britton EG. 1913.** West Indian mosses - 1. *Bulletin of the Torrey Botanical Club* **40**: 653-676.
- (10) **Britton EG. 1915.** Mosses of Bermuda. *Bulletin of the Torrey Botanical Club* **42**: 71-76.
- (3) **Britton NL, Millspaugh CF. 1920.** *The Bahama Flora*. 476-501. New York: Britton & Millspaugh.
- (4) **Buck WR. 1998.** Pleurocarpus mosses of the West Indies. *Memoirs of the New York Botanical Garden* **82**: 1-400.
- (6) **Delgadillo M.C. 1995.** LATMOSS: A catalogue of Neotropical Mosses. Missouri: Missouri

---

Botanical Garden.

- (1) **Dixon HN. 1936.** Mosses. *In* Rendle AB. Notes on the flora of the Bermudas. *Journal of Botany* **74**: 101-102.
- (5) **Granzow-de la Cerda I. 1997.** Revision and phylogeny of *Anomodon* and *Herpetineuron* (Anomodontaceae, Musci). *Contributions from the University of Michigan Herbarium* **21**: 205-275.
- (7) **Hedenäs L. 2003.** Amblystegiaceae (Musci). *Flora Neotropica Monograph* **89**: 1-107.
- Lefroy JH. 1884.** Botany of Bermuda. *Bulletin of the United States National Museum* **25**: 33-41.
- (11) **Mitten W. 1876.** The Musci and Hepaticae collected by H.N. Moseley, M.A., Naturalist to H.M.S. 'Challenger'. *Journal of the Linnaean Society. Botany.* **15**: 60-61.
- (8) **New York Herbarium. 2007.** NY Herbarium.
- (10) **Nicholson WE. 1936.** *In* **Rendle AB.** Notes on the flora of the Bermudas. *Journal of Botany* **1936**: 102-103.
- Olson SL. 2008.** *Pireella cymbifolia* (Pterobryaceae) new to the flora, with comments on sea level and other factors influencing the phytogeography of Bermuda. *Journal of Bryology* **30(3)**: 224-225.
- (9) **Sharp AJ, Crum H, Eckel PM. 1994.** The Moss Flora of Mexico. *Memoirs of the New York Botanical Garden* **69**: 1-1113.
- Verrill. A.E. 1901-1902.** The Bermuda Islands: an account of their scenery .... and the changes in their Flora and Fauna due to man. *Transactions of the Connecticut Academy of Arts and Sciences* **11**: 413-956.

Brian J.O'Shea, Botany Department, The Natural History Museum, Cromwell Road, London, SW7 5BD, UK.

E-mail: [brian@brianoshea.co.uk](mailto:brian@brianoshea.co.uk)

